

**Table S2 Detailed Clinical Features**

	<i>Male (M) / Female (F)</i>	<i>Term at birth (weeks)</i>	<i>Birth weight</i>	<i>Birth length</i>	<i>Birth head circumference</i>
<b>Patient 1</b>	F	At term	2740 g (-1.3 SD)(3-10th Centile)	47.5 cm (-0.7 SD)(3-10th Centile)	33.5 cm (-0.7 SD)(10th Centile)
<b>Patient 2</b>	M	36	3230 g (+2 SD)(90th Centile)	48.5 cm (+0.5 SD)(50-90th Centile)	35 cm (+2 SD)(90-97th Centile)
<b>Patient 3</b>	M	34	2180 g (0 SD) (10-50th Centile)	nd	nd
<b>Patient 4</b>	M	At term	3100 g (-1 SD)(10-50th Centile)	49.5 cm (-0.5 SD)(10-50th Centile)	38 cm (+2 SD)(90-97th Centile)
<b>Patient 5</b>	M	At term	3160 g (10-50th Centile)	51 cm (50th Centile)	nd
<b>Patient 6</b>	M	At term	3487 g (50th Centile)	nd	nd
<b>Patient 7 (Decipher 331530)</b>	M	37	3670 g (>90th Centile)	53 cm (>97th Centile)	36.5 cm (97th Centile)
<b>Patient 8</b>	M	31	1885 g (50-90th Centile)	39.5 cm (10-50th Centile)	nd
<b>Patient 9 (Decipher 255792)</b>	M	28+1	1150 g (25-50th Centile)	nd	27 cm (50-75th Centile)
<b>Patient 10 (Decipher 260107)</b>	M	At term	2770 g (-1.94 SD)	51 cm (-0.65 SD)	33 cm (-2 SD)
<b>Patient 11 (Decipher 272645)</b>	M	At term	3544 g	50.8 cm	nd
<b>Patient 12 (Decipher 274063)</b>	M	36+1	2500 g (3th Centile)	46 cm (3th Centile)	35 cm (50th Centile)
<b>Patient 13 (Decipher 284583)</b>	F	At term	3330 g	50 cm	nd
<b>Patient 14 (Decipher 272245)</b>	M	34	2220 g	nd	nd
<b>Patient 15 (Decipher 274751)</b>	F	At term	nd	nd	nd
<b>Patient 16 (Decipher 262739)</b>	M	At term	50-75th Centile	nd	nd
<b>Patient 17 (Decipher 279456)</b>	F	At term	25-50th Centile	nd	98th Centile
<b>Patient 18 (Decipher 270887)</b>	M	At term	3010 g	nd	nd
<b>Patient 19 (Decipher 252324)</b>	F	At term	3400 g (10-50th Centile)	nd	nd
<b>Patient 20</b>	M	At term	2980 g	nd	nd
<b>Patient 21</b>	M	At term	3310 g	49 cm	36 cm
<b>Patient 22</b>	M	At term	3680 g	51 cm	36 cm
<b>Patient 23</b>	M	At term	3040 g	47 cm	33 cm
<b>Patient 24</b>	M	32	1160 g	nd	nd
<b>Patient 25</b>	M	At term	3520 g (50th Centile)	52 cm (75th Centile)	34 cm (50th Centile)

	Male (M) / Female (F)	Term at birth (weeks)	Birth weight	Birth length	Birth head circumference
PARIANI ET AL	M	At term	3123 g (-1 SD)	nd	nd
HORN ET AL - Patient 1	M	nd	nd	nd	nd
HORN ET AL - Patient 2	F	nd	nd	nd	nd
HORN ET AL - Patient 3	M	nd	nd	nd	nd
HAMDAN ET AL - Patient 1	F	nd	nd	nd	nd
HAMDAN ET AL - Patient 2	M	nd	nd	nd	nd
CARR ET AL	M	At term	N	N	N
O'ROAK ET AL	M	At term	nd	nd	nd
TALKOWSKI ET AL	M	nd	nd	nd	nd
LE FEVRE ET AL	M	At term	3200 g (25th Centile)	48 cm (25th Centile)	36.5 cm (75th Centile)
PALUMBO ET AL	M	At term	3220 g (25th Centile)	50 cm (25th Centile)	35 cm (50th Centile)
LOZANO ET AL	F	nd	nd	nd	nd
SONG ET AL	F	34	2100 g (+0.1 SD)	nd	nd
TUTULAN-CUNITA ET AL *	M	At term	3500 g	nd	nd
SOLLIS ET AL - Patient 1	M	nd	nd	nd	nd
SOLLIS ET AL - Patient 2	M	nd	nd	nd	nd
SOLLIS ET AL - Patient 3	F	At term	4160 g	nd	nd
THEVENON ET AL - Patient 1 (Decipher 257047)	F	34+5	2250 g (5th Centile)	44 cm (3th Centile)	32.5 cm (25-50th Centile)
THEVENON ET AL - Patient 2 (Decipher 2059)	F	nd	nd	nd	nd
THEVENON ET AL - Patient 3 (Decipher 4438)	M	At term	2680 g (<5th Centile)	49 cm (10-25th Centile)	34 cm (25-50th Centile)
DIMITROV ET AL - Patient 1	F	At term	2040 g (0.4-2nd Centile)	nd	nd
DIMITROV ET AL - Patient 2	M	At term	2320 g (-1.2 SD)	46 cm (-1.6 SD)	32 cm (-2.6 SD)
DIMITROV ET AL - Patient 3	F	At term	2200 g (0.4-2nd Centile)	nd	nd

\* additional data from referring clinician

	<i>Age at last follow-up (Years)</i>	<i>Weight (Centile)</i>	<i>Length (Centile)</i>	<i>BMI (Centile)</i>	<i>Head circumference (Centile)</i>	<i>Mild / moderate NMD</i>	<i>Severe NMD</i>	<i>Mild / moderate ID</i>	<i>Severe ID</i>
<b>Patient 1</b>	2.5	< 3	3-10	10	25-50	+	-	+	-
<b>Patient 2</b>	2.5	25	10-25	75	90	+	-	+	-
<b>Patient 3</b>	16	< 3	< 3	< 3	> 97	-	+	-	+
<b>Patient 4</b>	1.67	25	10	50	50	+	-	+	-
<b>Patient 5</b>	3	< 3	25	< 3	10-25	+	-	+	-
<b>Patient 6</b>	14	3-10	< 3	25-50	50	+	-	+	-
<b>Patient 7 (Decipher 331530)</b>	3.5	25-50	50	25	97	+	-	+	-
<b>Patient 8</b>	15	50	25	75-90	> 97	-	+	-	+
<b>Patient 9 (Decipher 255792)</b>	0.42	nd	nd	nd	nd	nd	nd	nd	nd
<b>Patient 10 (Decipher 260107)</b>	4	< 3	< 3	25	50	-	+	-	+
<b>Patient 11 (Decipher 272645)</b>	5	10-25	3-10	50	nd	+	-	+	-
<b>Patient 12 (Decipher 274063)</b>	7.5	< 3	< 3	25-50	nd	-	+	-	+
<b>Patient 13 (Decipher 284583)</b>	5	25-50	20	50	25	+	-	+	-
<b>Patient 14 (Decipher 272245)</b>	9.5	10-25	50	nd	10	+	-	+	-
<b>Patient 15 (Decipher 274751)</b>	23	nd	nd	nd	> 97	+	-	+	-
<b>Patient 16 (Decipher 262739)</b>	17	50-75	75	nd	90	+	-	-	+
<b>Patient 17 (Decipher 279456)</b>	5	50-75	50	nd	> 97	-	-	+	-
<b>Patient 18 (Decipher 270887)</b>	10	< 3	< 3	10	< 3	-	+	-	+
<b>Patient 19 (Decipher 252324)</b>	2	3	10	3-10	25-50	+	-	+	-
<b>Patient 20</b>	5	25-50	3-10	75-90	nd	+	-	+	-
<b>Patient 21</b>	12	< 3	< 3	10-25	97	+	-	+	-
<b>Patient 22</b>	9	50	50-75	25-50	97	-	-	-	-
<b>Patient 23</b>	10	3	10	10-25	25	-	+	-	+
<b>Patient 24</b>	7	< 3	< 3	3-10	< 3	-	+	-	+
<b>Patient 25</b>	8.5	50-75	50-75	50	50	+	-	+	-

	<i>Age at last follow-up (Years)</i>	<i>Weight (Centile)</i>	<i>Length (Centile)</i>	<i>BMI (Centile)</i>	<i>Head circumference (Centile)</i>	<i>Mild / moderate NMD</i>	<i>Severe NMD</i>	<i>Mild / moderate ID</i>	<i>Severe ID</i>
PARIANI ET AL	1.9	< 10	< 2	nd	50	+	-	nd	nd
HORN ET AL - Patient 1	7	40	80	nd	75	+	-	+	-
HORN ET AL - Patient 2	5.5	> 98	45	nd	60	+	-	+	-
HORN ET AL - Patient 3	6	> 98	30	nd	80	+	-	+	-
HAMDAN ET AL - Patient 1	15	nd	nd	nd	nd	+	-	+	-
HAMDAN ET AL - Patient 2	9	nd	nd	nd	nd	+	-	+	-
CARR ET AL	3.4	10-25	10	nd	50-75	+	-	nd	nd
O'ROAK ET AL	nd	nd	nd	nd	nd	nd	nd	+	-
TALKOWSKI ET AL	nd	nd	nd	nd	nd	+	-	+	-
LE FEVRE ET AL	7	40	25	nd	> 98	+	-	+	-
PALUMBO ET AL	20	N	N	nd	N	+	-	-	+
LOZANO ET AL	14	75	58	nd	> 98	+	-	+	-
SONG ET AL	22	25	< 2	nd	nd	+	-	+	-
TUTULAN-CUNITA ET AL *	5	50	15	nd	15-50	-	+	-	+
SOLLIS ET AL - Patient 1	11	nd	↓	nd	↑	+	-	+	-
SOLLIS ET AL - Patient 2	7	N	N	nd	N	+	-	+	-
SOLLIS ET AL - Patient 3	15	nd	N	nd	N	+	-	-	+
THEVENON ET AL - Patient 1 (Decipher 257047)	3	nd	nd	nd	nd	-	+	-	+
THEVENON ET AL - Patient 2 (Decipher 2059)	19	nd	nd	nd	nd	nd	nd	+	-
THEVENON ET AL - Patient 3 (Decipher 4438)	3	< 5	nd	nd	nd	-	+	-	+
DIMITROV ET AL - Patient 1	4	25-50	< 0.4	nd	50	-	+	-	+
DIMITROV ET AL - Patient 2	0.3	< 3	< 0.4	nd	< 3	-	+	nd	nd
DIMITROV ET AL - Patient 3	1	< 0.4	< 0.4	nd	< 0.4	-	+	nd	nd

	<i>Speech and language delay</i>	<i>Expressive &gt; receptive</i>	<i>First words (Years)</i>	<i>Combined words (Years)</i>	<i>Articulation problems</i>	<i>Poor grammar</i>	<i>OMD</i>	<i>Behavioral difficulties</i>	<i>Autistic features</i>
Patient 1	+	+	> 3	nd	+	+	+	-	+
Patient 2	+	+	Nil	/	/	/	nd	-	-
Patient 3	+	+	Nil	/	/	/	nd	+	nd
Patient 4	+	+	Nil	/	/	/	-	+	-
Patient 5	+	+	Nil	/	/	/	+	-	+
Patient 6	+	nd	3	+ age?	+	nd	nd	+	nd
Patient 7 (Decipher 331530)	+	+	3	nd	nd	nd	nd	+	+
Patient 8	+	+	1	1.3	+	+	+	+	+
Patient 9 (Decipher 255792)	nd	nd	nd	nd	nd	nd	nd	nd	nd
Patient 10 (Decipher 260107)	+	+	Nil	/	nd	nd	+	nd	+
Patient 11 (Decipher 272645)	+	+	2	3	+	nd	nd	-	nd
Patient 12 (Decipher 274063)	+	+	4	nd	+	+	+	nd	-
Patient 13 (Decipher 284583)	+	+	2	3	+	+	+	-	+
Patient 14 (Decipher 272245)	+	nd	1.5	nd	+	nd	-	-	-
Patient 15 (Decipher 274751)	+	nd	2.5	nd	nd	nd	-	+	+
Patient 16 (Decipher 262739)	+	nd	2	9	-	nd	-	+	+
Patient 17 (Decipher 279456)	+	+	nd	nd	nd	nd	-	+	-
Patient 18 (Decipher 270887)	+	+	Nil	/	nd	nd	nd	nd	nd
Patient 19 (Decipher 252324)	+	+	2	3	+	-	+	+	-
Patient 20	+	+	Nil	/	/	/	+	+	+
Patient 21	nd	nd	nd	nd	nd	nd	nd	+	+
Patient 22	+	-	1.8	1.8	-	-	-	-	+
Patient 23	+	+	Nil	/	/	/	-	nd	+
Patient 24	+	+	Nil	/	/	/	+	nd	+
Patient 25	+	+	+ regression	-	+	+	+	+	+



	<i>Tonicity</i>	<i>Spasticity / contractures</i>	<i>Reflexes</i>	<i>Seizures</i>	<i>Brain imaging</i>	<i>FTT</i>	<i>Feeding difficulties</i>	<i>Obesity</i>
Patient 1	↓	-	N	-	N	-	+	-
Patient 2	↓ / ↑	+	N	-	+	-	-	-
Patient 3	↓ / ↑	+	nd	+	N	+	+	-
Patient 4	↓	-	N	+	N	+	+	-
Patient 5	nd	nd	nd	nd	N	-	+	-
Patient 6	↓	nd	nd	nd	N	nd	nd	nd
Patient 7 (Decipher 331530)	nd	nd	nd	-	+	-	-	-
Patient 8	↑	+	↓	-	N	+	+	-
Patient 9 (Decipher 255792)	nd	nd	nd	nd	+	nd	+	nd
Patient 10 (Decipher 260107)	↓	+	N	-	N	+	+	-
Patient 11 (Decipher 272645)	↑	+	N	-	N	-	+	-
Patient 12 (Decipher 274063)	↓	-	N	-	nd	+	+	-
Patient 13 (Decipher 284583)	N	-	N	-	N	-	+	-
Patient 14 (Decipher 272245)	N	-	N	-	nd	+	+	-
Patient 15 (Decipher 274751)	N	-	N	-	+	-	+	-
Patient 16 (Decipher 262739)	nd	nd	nd	-	+	-	-	-
Patient 17 (Decipher 279456)	N	-	N	-	+	-	-	-
Patient 18 (Decipher 270887)	↓	+	nd	-	+	nd	+	-
Patient 19 (Decipher 252324)	N	-	N	-	+	+	+	-
Patient 20	N	+	N	-	+	-	-	-
Patient 21	↓	+	N	-	+	-	-	-
Patient 22	N	-	N	+	N	-	-	-
Patient 23	↑	+	↑	-	N	-	-	-
Patient 24	↑	+	↑	-	N	+	+	-
Patient 25	↓	nd	nd	-	+	-	+	-

	<i>Tonicity</i>	<i>Spasticity / contractures</i>	<i>Reflexes</i>	<i>Seizures</i>	<i>Brain imaging</i>	<i>FTT</i>	<i>Feeding difficulties</i>	<i>Obesity</i>
PARIANI ET AL	↑	+	N	-	+	+	+	-
HORN ET AL - Patient 1	nd	nd	nd	-	N	-	nd	-
HORN ET AL - Patient 2	nd	nd	nd	-	N	-	+	+
HORN ET AL - Patient 3	nd	nd	nd	-	N	-	-	+
HAMDAN ET AL - Patient 1	nd	nd	nd	nd	nd	nd	nd	nd
HAMDAN ET AL - Patient 2	nd	nd	nd	nd	nd	nd	nd	nd
CARR ET AL	↓ / ↑	-	↑	+	+	-	-	-
O'ROAK ET AL	nd	nd	nd	+	nd	nd	nd	nd
TALKOWSKI ET AL	nd	nd	nd	nd	nd	nd	nd	nd
LE FEVRE ET AL	N	-	N	-	+	+	+	-
PALUMBO ET AL	nd	nd	nd	nd	N	nd	nd	-
LOZANO ET AL	↓	nd	nd	nd	+	-	nd	-
SONG ET AL	N	nd	N	-	nd	-	nd	-
TUTULAN-CUNITA ET AL *	↑	+	↑	-	+	-	-	-
SOLLIS ET AL - Patient 1	↓	nd	nd	nd	+	nd	nd	nd
SOLLIS ET AL - Patient 2	↓	nd	nd	nd	nd	-	nd	-
SOLLIS ET AL - Patient 3	↓	nd	nd	nd	nd	nd	nd	nd
THEVENON ET AL - Patient 1 (Decipher 257047)	↓	+	nd	+	+	+	+	nd
THEVENON ET AL - Patient 2 (Decipher 2059)	↓	+	nd	nd	nd	nd	nd	nd
THEVENON ET AL - Patient 3 (Decipher 4438)	nd	+	nd	nd	nd	+	+	nd
DIMITROV ET AL - Patient 1	↑	+	↑	nd	+	+	+	nd
DIMITROV ET AL - Patient 2	↑	+	↑	+	+	+	+	nd
DIMITROV ET AL - Patient 3	↑	+	↑	nd	+	+	+	nd

	<i>Broad, prominent forehead</i>	<i>Frontal hair upsweep</i>	<i>Hypertelorism</i>	<i>Downslanting PF</i>	<i>Bent PF</i>	<i>Ptosis</i>	<i>Blepharophimosis</i>	<i>Short nose</i>	<i>Broad nose tip</i>	<i>Pronounced nasolabial folds</i>
Patient 1	+	+	-	+	+	+	-	+	+	+
Patient 2	+	+	+	+	+	+	-	+	+	+
Patient 3	+	+	-	+	-	-	+	+	+	-
Patient 4	+	-	-	-	-	+	-	+	+	+
Patient 5	+	-	-	-	-	+	-	+	+	-
Patient 6	-	-	+	+	-	+	-	-	+	-
Patient 7 (Decipher 331530)	+	-	-	+	-	+	-	-	+	+
Patient 8	+	+	+	-	-	+	-	+	+	+
Patient 9 (Decipher 255792)	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
Patient 10 (Decipher 260107)	+	-	+	+	-	-	-	+	+	-
Patient 11 (Decipher 272645)	+	-	+	-	+	+	-	+	+	+
Patient 12 (Decipher 274063)	+	+	+	+		+	+	+	+	-
Patient 13 (Decipher 284583)	+	+	-	+		-	-	+	+	+
Patient 14 (Decipher 272245)	+	-	-	+		+	-	+	+	-
Patient 15 (Decipher 274751)	+	-	-	-		-	-	-	-	-
Patient 16 (Decipher 262739)	+	-	-	+		-	-	-	-	-
Patient 17 (Decipher 279456)	+	-	+	-		+	-	+	+	-
Patient 18 (Decipher 270887)	+	+	-	+	-	+	+	+	-	-
Patient 19 (Decipher 252324)	+	-	-	+	-	+	+	+	+	-
Patient 20	+	+	+	-	+	+	-	+	-	+
Patient 21	+	-	-	-	-	-	-	-	+	+
Patient 22	+	-	+	-	-	-	-	+	-	-
Patient 23	+	+	-	+		-	-	-	+	-
Patient 24	+	+	+	-		+	-	-	+	+
Patient 25	+	-	+	+	+	+	-	+	+	-

	<i>Broad, prominent forehead</i>	<i>Frontal hair upsweep</i>	<i>Hypertelorism</i>	<i>Downslanting PF</i>	<i>Bent PF</i>	<i>Ptosis</i>	<i>Blepharophimosis</i>	<i>Short nose</i>	<i>Broad nose tip</i>	<i>Pronounced nasolabial folds</i>
PARIANI ET AL	-	-	-	-	nd	-	+	+	+	-
HORN ET AL - Patient 1	-	-	-	-	nd	-	-	-	-	-
HORN ET AL - Patient 2	+	+	-	-	nd	+	-	+	+	-
HORN ET AL - Patient 3	+	+	-	+	nd	+	-	+	+	-
HAMDAN ET AL - Patient 1	-	-	nd	-	nd	nd	nd	-	-	nd
HAMDAN ET AL - Patient 2	-	-	nd	-	nd	nd	nd	-	-	nd
CARR ET AL	+	-	+	+	nd	+	-	+	+	-
O'ROAK ET AL	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
TALKOWSKI ET AL	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
LE FEVRE ET AL	+	-	-	+	nd	-	-	+	+	-
PALUMBO ET AL	+	-	-	+	nd	+	-	-	-	-
LOZANO ET AL	nd	+	-	+	nd	+	-	-	+	+
SONG ET AL	+	+	nd	-	nd	nd	nd	+	+	nd
TUTULAN-CUNITA ET AL *	+	-	+	-	nd	+	-	+	+	-
SOLLIS ET AL - Patient 1	+	nd	nd	nd	nd	nd	nd	nd	nd	nd
SOLLIS ET AL - Patient 2	nd	nd	+	+	nd	nd	nd	+	nd	nd
SOLLIS ET AL - Patient 3	+	nd	+	nd	nd	nd	nd	nd	+	nd
THEVENON ET AL - Patient 1 (Decipher 257047)	nd	nd	+	nd	nd	nd	nd	nd	nd	nd
THEVENON ET AL - Patient 2 (Decipher 2059)	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
THEVENON ET AL - Patient 3 (Decipher 4438)	nd	nd	+	nd	nd	nd	-	nd	nd	nd
DIMITROV ET AL - Patient 1	+	+	+	+	nd	nd	nd	+	nd	nd
DIMITROV ET AL - Patient 2	+	-	+	nd	nd	nd	-	+	-	nd
DIMITROV ET AL - Patient 3	nd	nd	+	nd	nd	nd	nd	nd	-	nd

	<i>Wide mouth with full lips</i>	<i>Pronounced vermilion border</i>	<i>Downturned corners of the mouth</i>	<i>Open mouth</i>	<i>Prominent chin</i>	<i>Chin with horizontal crease</i>	<i>Hypoplastic upper ear helix</i>	<i>Prominent finger pads</i>	<i>Single palmar crease</i>	<i>Clinodactyly</i>
Patient 1	+	+	-	nd	-	+	-	-	+	-
Patient 2	+	+	-	nd	-	+	+	-	-	-
Patient 3	-	+	+	nd	+	-	-	-	-	-
Patient 4	+	+	-	-	+	+	-	-	-	+
Patient 5	-	+	+	+	-	+	-	-	+	-
Patient 6	+	+	+	+	+	+	+	+	nd	nd
Patient 7 (Decipher 331530)	+	+	+	+	-	+	-	-	-	-
Patient 8	+	+	+	+	+	+	+	-	+	+
Patient 9 (Decipher 255792)	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
Patient 10 (Decipher 260107)	-	+	+	-	-	+	+	-	+	+
Patient 11 (Decipher 272645)	+	-	-	nd	+	+	-	nd	+	nd
Patient 12 (Decipher 274063)	-	nd	-	-	nd	nd	-	-	+	-
Patient 13 (Decipher 284583)	-	-	+	+	-	-	-	-	-	-
Patient 14 (Decipher 272245)	+	nd	-	+	nd	nd	-	-	-	+
Patient 15 (Decipher 274751)	-	-	-	-	-	-	-	-	-	-
Patient 16 (Decipher 262739)	-	-	-	-	-	-	-	+	+	-
Patient 17 (Decipher 279456)	+	+	+	+	-	-	-	-	+	-
Patient 18 (Decipher 270887)	-	+	+	-	+	-	-	-	nd	-
Patient 19 (Decipher 252324)	-	+	+	+	-	-	+	-	-	+
Patient 20	+	+	+	+	-	-	-	-	-	-
Patient 21	+	+	-	+	+	-	-	nd	nd	nd
Patient 22	+	-	-	-	-	-	-	-	-	-
Patient 23	+	-	+	-	-	-	-	-	-	-
Patient 24	-	+	+	+	+	+	-	-	-	+
Patient 25	+	+	+	+	+	-	-	-	-	-

	<i>Wide mouth with full lips</i>	<i>Pronounced vermillion border</i>	<i>Downturned corners of the mouth</i>	<i>Open mouth</i>	<i>Prominent chin</i>	<i>Chin with horizontal crease</i>	<i>Hypoplastic upper ear helix</i>	<i>Prominent finger pads</i>	<i>Single palmar crease</i>	<i>Clinodactyly</i>
PARIANI ET AL	-	nd	+	+	nd	nd	nd	nd	+	+
HORN ET AL - Patient 1	-	nd	-	+	nd	nd	-	-	-	-
HORN ET AL - Patient 2	-	nd	-	+	nd	nd	-	-	-	-
HORN ET AL - Patient 3	-	nd	-	+	nd	nd	-	-	-	-
HAMDAN ET AL - Patient 1	nd	nd	nd	nd	nd	nd	nd	-	-	-
HAMDAN ET AL - Patient 2	nd	nd	nd	nd	nd	nd	nd	-	-	-
CARR ET AL	-	nd	+	-	nd	nd	-	+	+	-
O'ROAK ET AL	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
TALKOWSKI ET AL	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
LE FEVRE ET AL	-	nd	-	-	nd	nd	-	+	-	+
PALUMBO ET AL	+	nd	-	+	nd	nd	-	-	-	-
LOZANO ET AL	+	nd	+	nd	nd	nd	-	nd	nd	nd
SONG ET AL	nd	nd	nd	nd	nd	nd	nd	-	-	-
TUTULAN-CUNITA ET AL *	-	nd	-	+	nd	nd	+	-	-	-
SOLLIS ET AL - Patient 1	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
SOLLIS ET AL - Patient 2	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
SOLLIS ET AL - Patient 3	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
THEVENON ET AL - Patient 1 (Decipher 257047)	-	nd	nd	nd	nd	nd	-	nd	-	nd
THEVENON ET AL - Patient 2 (Decipher 2059)	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
THEVENON ET AL - Patient 3 (Decipher 4438)	-	nd	nd	nd	nd	nd	-	nd	nd	nd
DIMITROV ET AL - Patient 1	-	nd	+	nd	nd	nd	+	nd	+	-
DIMITROV ET AL - Patient 2	-	nd	nd	-	nd	nd	+	nd	+	-
DIMITROV ET AL - Patient 3	-	nd	nd	nd	nd	nd	-	nd	+	-

*Other congenital malformations*

<b>Patient 1</b>	-
<b>Patient 2</b>	Facial hemangioma.
<b>Patient 3</b>	-
<b>Patient 4</b>	Congenital hip dislocation. Mild syndactyly II-III.
<b>Patient 5</b>	-
<b>Patient 6</b>	Hemangioma on back. Mild scoliosis. Hindfoot valgus deformity.
<b>Patient 7 (Decipher 331530)</b>	Facial asymmetry.
<b>Patient 8</b>	Bilateral inguinal herniation. Abnormal larynx. Talipes cavus. Nasolacrimal duct abnormality. Dolicocephaly. Cerebral palsy.
<b>Patient 9 (Decipher 255792)</b>	Diaphragmatic hernia
<b>Patient 10 (Decipher 260107)</b>	Bilateral severe hip dysplasia. Bilateral pes planus.
<b>Patient 11 (Decipher 272645)</b>	Bilateral inguinal hernia. 2/3 toe syndactyly bilateral.
<b>Patient 12 (Decipher 274063)</b>	Fronto-nasal angioma. Wide-spaced nipples
<b>Patient 13 (Decipher 284583)</b>	Highly arched palate. Single upper incisor. Plagiocephaly.
<b>Patient 14 (Decipher 272245)</b>	Sacral dimple. Poorly developed scrotal sac. Neonatal conjugated hyperbilirubinemia.
<b>Patient 15 (Decipher 274751)</b>	Spaced frontal incisors. Velopharyngeal incompetence.
<b>Patient 16 (Decipher 262739)</b>	Duane anomaly. Anal fistula. Ear pit.
<b>Patient 17 (Decipher 279456)</b>	Spina bifida occulta.
<b>Patient 18 (Decipher 270887)</b>	Inguinal hernia. Congenital absence of foreskin.
<b>Patient 19 (Decipher 252324)</b>	-
<b>Patient 20</b>	-
<b>Patient 21</b>	Unilateral ear pits.
<b>Patient 22</b>	-
<b>Patient 23</b>	-
<b>Patient 24</b>	Club foot. Inguinal hernia.
<b>Patient 25</b>	Trigonocephaly. Facial asymmetry. Sacral dimple.

PARIANI ET AL	Contractures of hand and feet.
HORN ET AL - Patient 1	-
HORN ET AL - Patient 2	-
HORN ET AL - Patient 3	-
HAMDAN ET AL - Patient 1	-
HAMDAN ET AL - Patient 2	Atresia of the midjejunum and midileum gut.
CARR ET AL	Chiari 1 malformation.
O'ROAK ET AL	-
TALKOWSKI ET AL	Spina bifida occulta. Bilateral inguinal hernia.
LE FEVRE ET AL	-
PALUMBO ET AL	Abnormal tooth position with malocclusion.
LOZANO ET AL	Highly arched palate. Wide-spaced teeth. Single umbilical artery.
SONG ET AL	-
TUTULAN-CUNITA ET AL *	Hand and feet malformations. Sacral sinus.
SOLLIS ET AL - Patient 1	-
SOLLIS ET AL - Patient 2	Mild retrognathia.
SOLLIS ET AL - Patient 3	-
THEVENON ET AL - Patient 1 (Decipher 257047)	Mild microstomy. Highly arched palate. Distal limb contractures. Absent palmar flexion creases on fingers.
THEVENON ET AL - Patient 2 (Decipher 2059)	Club feet. Bilateral hip dislocation.
THEVENON ET AL - Patient 3 (Decipher 4438)	Narrow auditory meatus. Microstomy. Congenital contractures of fingers and metatarsus varus.
DIMITROV ET AL - Patient 1	Small mouth. Chest deformaties. Hypoplastic nipples. Sacral dimple. Small hand and feet. Camptodactyly. Wide sandal gap. Club foot.
DIMITROV ET AL - Patient 2	Micrognathia. High and vaulted palate. Camptodactyly. CHARGE-like. Pes planus congenitas, bilateral sandal gaps, and sacral dimple.
DIMITROV ET AL - Patient 3	CHARGE-like: Bilateral choanal atresia, bilateral underriding 3rd toe, hypoplastic nipples, slightly anteriorly placed anus.

*Other congenital malformations*

	<i>Ophthalmologic abnormalities</i>	<i>Auditory abnormalities</i>
<b>Patient 1</b>	Strabismus, hypermetropia	-
<b>Patient 2</b>	nd	-
<b>Patient 3</b>	Nystagmus	nd
<b>Patient 4</b>	-	-
<b>Patient 5</b>	Strabismus, amblyopia	nd
<b>Patient 6</b>	nd	nd
<b>Patient 7 (Decipher 331530)</b>	Strabismus	nd
<b>Patient 8</b>	nd	nd
<b>Patient 9 (Decipher 255792)</b>	-	nd
<b>Patient 10 (Decipher 260107)</b>	-	Bilateral deafness (cochlear implants)
<b>Patient 11 (Decipher 272645)</b>	Strabismus, hypermetropia	nd
<b>Patient 12 (Decipher 274063)</b>	-	nd
<b>Patient 13 (Decipher 284583)</b>	Strabismus, right optic nerve hypoplasia	-
<b>Patient 14 (Decipher 272245)</b>	Strabismus	nd
<b>Patient 15 (Decipher 274751)</b>	Strabismus, hypermetropia	nd
<b>Patient 16 (Decipher 262739)</b>	Strabismus	nd
<b>Patient 17 (Decipher 279456)</b>	Strabismus, hypermetropia	nd
<b>Patient 18 (Decipher 270887)</b>	nd	+
<b>Patient 19 (Decipher 252324)</b>	Hypermetropia	nd
<b>Patient 20</b>	Strabismus, hypermetropia	-
<b>Patient 21</b>	Strabismus, hypermetropia	nd
<b>Patient 22</b>	Hypermetropia	-
<b>Patient 23</b>	Strabismus	-
<b>Patient 24</b>	Strabismus	-
<b>Patient 25</b>	Strabism, hypermetropia, swinging nystagmus	-

	<i>Ophthalmologic abnormalities</i>	<i>Auditory abnormalities</i>
PARIANI ET AL	Hypermetropia	nd
HORN ET AL - Patient 1	Myopia	-
HORN ET AL - Patient 2	-	-
HORN ET AL - Patient 3	-	-
HAMDAN ET AL - Patient 1	nd	nd
HAMDAN ET AL - Patient 2	nd	nd
CARR ET AL	Refractive error (picture)	-
O'ROAK ET AL	nd	nd
TALKOWSKI ET AL	nd	nd
LE FEVRE ET AL	-	-
PALUMBO ET AL	nd	nd
LOZANO ET AL	nd	nd
SONG ET AL	-	-
TUTULAN-CUNITA ET AL *	Strabismus	Bilateral deafness - sclerosis of inner ear bone chain
SOLLIS ET AL - Patient 1	nd	nd
SOLLIS ET AL - Patient 2	Strabismus	nd
SOLLIS ET AL - Patient 3	Nystagmus, hypermetropia	nd
THEVENON ET AL - Patient 1 (Decipher 257047)	Nystagmus and bilateral strabismus	nd
THEVENON ET AL - Patient 2 (Decipher 2059)	nd	Sensorineural deafness
THEVENON ET AL - Patient 3 (Decipher 4438)	nd	nd
DIMITROV ET AL - Patient 1	Bilateral aniridia	Bilateral sensorineural hearing loss - inner ear malfomation
DIMITROV ET AL - Patient 2	Bilateral microphthalmia and iris coloboma	nd
DIMITROV ET AL - Patient 3	Bilateral iris coloboma	nd

	<b>CHD</b>	<b>Renal abnormalities</b>
<b>Patient 1</b>	-	nd
<b>Patient 2</b>	Asymmetric tricuspid aortic valve with normal function	nd
<b>Patient 3</b>	nd	nd
<b>Patient 4</b>	-	-
<b>Patient 5</b>	nd	nd
<b>Patient 6</b>	nd	nd
<b>Patient 7 (Decipher 331530)</b>	nd	Duplex kidneys with ureterocoele and kidney dysplasia
<b>Patient 8</b>	nd	nd
<b>Patient 9 (Decipher 255792)</b>	Pulmonary hypertension, PDA	nd
<b>Patient 10 (Decipher 260107)</b>	Secundum ASD	-
<b>Patient 11 (Decipher 272645)</b>	nd	nd
<b>Patient 12 (Decipher 274063)</b>	-	nd
<b>Patient 13 (Decipher 284583)</b>	-	-
<b>Patient 14 (Decipher 272245)</b>	Secundum ASD	nd
<b>Patient 15 (Decipher 274751)</b>	ASD	nd
<b>Patient 16 (Decipher 262739)</b>	-	nd
<b>Patient 17 (Decipher 279456)</b>	ASD	nd
<b>Patient 18 (Decipher 270887)</b>	Secundum ASD, PS, right ventricular hypertrophy	nd
<b>Patient 19 (Decipher 252324)</b>	-	nd
<b>Patient 20</b>	Secundum ASD	nd
<b>Patient 21</b>	-	-
<b>Patient 22</b>	-	-
<b>Patient 23</b>	-	-
<b>Patient 24</b>	-	-
<b>Patient 25</b>	Foramen ovale apertum	-

	<b>CHD</b>	<b>Renal abnormalities</b>
PARIANI ET AL	nd	nd
HORN ET AL - Patient 1	nd	nd
HORN ET AL - Patient 2	nd	nd
HORN ET AL - Patient 3	nd	nd
HAMDAN ET AL - Patient 1	nd	nd
HAMDAN ET AL - Patient 2	nd	nd
CARR ET AL	-	-
O'ROAK ET AL	nd	nd
TALKOWSKI ET AL	nd	nd
LE FEVRE ET AL	nd	-
PALUMBO ET AL	nd	nd
LOZANO ET AL	nd	nd
SONG ET AL	nd	nd
TUTULAN-CUNITA ET AL *	ASD	N
SOLLIS ET AL - Patient 1	nd	nd
SOLLIS ET AL - Patient 2	nd	nd
SOLLIS ET AL - Patient 3	nd	nd
THEVENON ET AL - Patient 1 (Decipher 257047)	ASD with pulmonary hypertension	nd
THEVENON ET AL - Patient 2 (Decipher 2059)	nd	nd
THEVENON ET AL - Patient 3 (Decipher 4438)	-	nd
DIMITROV ET AL - Patient 1	PDA, Secundum ASD	nd
DIMITROV ET AL - Patient 2	ASD, VSD, mild PS	nd
DIMITROV ET AL- Patient 3	PDA, ASD, pulmonary hypertension	nd

	<b>GTA</b>	<b>Other organ problems</b>
<b>Patient 1</b>	-	nd
<b>Patient 2</b>	-	nd
<b>Patient 3</b>	nd	nd
<b>Patient 4</b>	nd	Cholestasis, ductal paucity, fibrosis and chronic hepatitis
<b>Patient 5</b>	Bilateral cryptorchidism	nd
<b>Patient 6</b>	Bilateral cryptorchidism	nd
<b>Patient 7 (Decipher 331530)</b>	Bilateral cryptorchidism	nd
<b>Patient 8</b>	Bilateral cryptorchidism	nd
<b>Patient 9 (Decipher 255792)</b>	-	Diaphragmatic hernia
<b>Patient 10 (Decipher 260107)</b>	Cryptorchidism	
<b>Patient 11 (Decipher 272645)</b>	Bilateral cryptorchidism	nd
<b>Patient 12 (Decipher 274063)</b>	-	Subclinical hypothyroidism
<b>Patient 13 (Decipher 284583)</b>	-	-
<b>Patient 14 (Decipher 272245)</b>	Cryptorchidism, poorly developed scrotal sac	Transient splenomegaly
<b>Patient 15 (Decipher 274751)</b>	-	Oesophageal dysmotility
<b>Patient 16 (Decipher 262739)</b>	Unilateral cryptorchidism	-
<b>Patient 17 (Decipher 279456)</b>	-	-
<b>Patient 18 (Decipher 270887)</b>	Bilateral cryptorchidism	Obstipation
<b>Patient 19 (Decipher 252324)</b>	-	-
<b>Patient 20</b>	Cryptorchidism	-
<b>Patient 21</b>	-	-
<b>Patient 22</b>	-	-
<b>Patient 23</b>	-	-
<b>Patient 24</b>	Cryptorchidism	-
<b>Patient 25</b>	Unilateral cryptorchidism	-

	<b>GTA</b>	<b>Other organ problems</b>
PARIANI ET AL	Bilateral cryptorchidism	nd
HORN ET AL - Patient 1	nd	nd
HORN ET AL - Patient 2	nd	nd
HORN ET AL - Patient 3	nd	nd
HAMDAN ET AL - Patient 1	nd	nd
HAMDAN ET AL - Patient 2	nd	Atresia of the midjejunum and midileum gut
CARR ET AL	-	nd
O'ROAK ET AL	nd	nd
TALKOWSKI ET AL	nd	Spina bifida occulta, bilateral inguinal hernia
LE FEVRE ET AL	-	nd
PALUMBO ET AL	nd	nd
LOZANO ET AL	nd	Single umbilical hernia
SONG ET AL	nd	nd
TUTULAN-CUNITA ET AL *	Cryptorchidism, micropenis and scrotal abnormalities	nd
SOLLIS ET AL - Patient 1	nd	nd
SOLLIS ET AL - Patient 2	nd	nd
SOLLIS ET AL - Patient 3	nd	nd
THEVENON ET AL - Patient 1 (Decipher 257047)	nd	Partial growth hormone deficiency
THEVENON ET AL - Patient 2 (Decipher 2059)	nd	Intestinal malrotation
THEVENON ET AL - Patient 3 (Decipher 4438)	nd	nd
DIMITROV ET AL - Patient 1	nd	nd
DIMITROV ET AL - Patient 2	Bilateral cryptorchidism, micropenis and scrotal hypoplasia	Absence of gallbladder
DIMITROV ET AL- Patient 3	Hypoplastic labia majora	nd

**Patient 1**  
**Patient 2**  
**Patient 3**  
**Patient 4**  
**Patient 5**  
**Patient 6**  
**Patient 7 (Decipher 331530)**  
**Patient 8**  
**Patient 9 (Decipher 255792)**  
**Patient 10 (Decipher 260107)**  
**Patient 11 (Decipher 272645)**  
**Patient 12 (Decipher 274063)**  
**Patient 13 (Decipher 284583)**  
**Patient 14 (Decipher 272245)**  
**Patient 15 (Decipher 274751)**  
**Patient 16 (Decipher 262739)**  
**Patient 17 (Decipher 279456)**  
**Patient 18 (Decipher 270887)**  
**Patient 19 (Decipher 252324)**  
**Patient 20**  
**Patient 21**  
**Patient 22**  
**Patient 23**  
**Patient 24**  
**Patient 25**

*Other relevant history*

-

Viral (enterovirus) meningitis at age 7 months. Recurrent otitis.  
Deceased due to aspiration pneumonia at the age of 16 years.

-

-

-

-

-

Deceased at age 5 months due to complications of diaphragmatic hernia.

-

-

-

Recurrent fever of unknown origin. Urinary dribbling.  
Father has macrocephaly (98th Centile).

-

Mixed enuresis.

-

-

-

Incontinentia diurna.

-

-

Prematurity. Listeria infection. BPD.

-

PARIANI ET AL

HORN ET AL - Patient 1

HORN ET AL - Patient 2

HORN ET AL - Patient 3

HAMDAN ET AL - Patient 1

HAMDAN ET AL - Patient 2

CARR ET AL

O'ROAK ET AL

TALKOWSKI ET AL

LE FEVRE ET AL

PALUMBO ET AL

LOZANO ET AL

SONG ET AL

TUTULAN-CUNITA ET AL \*

SOLLIS ET AL - Patient 1

SOLLIS ET AL - Patient 2

SOLLIS ET AL - Patient 3

THEVENON ET AL - Patient 1 (Decipher 257047)

THEVENON ET AL - Patient 2 (Decipher 2059)

THEVENON ET AL - Patient 3 (Decipher 4438)

DIMITROV ET AL - Patient 1

DIMITROV ET AL - Patient 2

DIMITROV ET AL - Patient 3

*Other relevant history*

-

-

-

-

-

-

-

-

-

Enuresis.

-

-

-

Skin hypopigmentation.

-

Enuresis

-

Deceased at the age of 3 years due to infectious event.

Deceased.

-

Pneumothorax and pulmonary hypertension at birth. Recurrent aspiration pneumonia. Chronic lung disease. Sleep apnea.

Profound respiratory distress and cyanosis at birth which required intubation. Deceased at age of 4 months.

Fetal distress and meconium aspiration requiring resuscitation and ventilation. Deceased at age of 2 years.